

FILE NOTATIONS

Entered in NID File _____
 Entered On S R Sheet _____
 Location Map Pinned _____
 Card Indexed _____
 I W R for State or Fee Land _____

Checked by Chief _____
 Copy NID to Field Office _____
 Approval Letter _____
 Disapproval Letter _____

COMPLETION DATA:

Date Well Completed 11-10-31

Location Inspected _____

OW ☒ WW _____ TA _____

Bond released _____

GW _____ OS _____ PA April, 1932

State of Fee Land _____

LOGS FILED

Driller's Log _____

Electric Logs (No.) _____

E _____ L _____ E-I _____ GR _____ GR-N _____ Micro _____

Lat _____ Mi-L _____ Sonic _____ Others _____

BY RETAINED SALT LAKE CITY
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

U.S. Land Office
SALT LAKE CITY
OCT 6 1931

Serial Number
Leave of Field

SUNDRY NOTICES AND REPORTS ON WELLS
GEOLOGICAL SURVEY
RECEIVED

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT RECORD OF SHOOTING	OCT 6 1931
NOTICE OF INTENTION TO CHANGE PLANS		RECORD OF PERFORATING CASING	
NOTICE OF DATE FOR TEST OF WATER SHUT-OFF		NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
REPORT ON RESULT OF TEST OF WATER SHUT-OFF		NOTICE OF INTENTION TO ABANDON WELL	SALT LAKE CITY, UTAH
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF ABANDONMENT	MINERAL LEASING DIV.
NOTICE OF INTENTION TO SHOOT		SUPPLEMENTARY WELL HISTORY	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

October 3rd, 1931

Following is a ~~notice of intention to do work~~ on land under ~~lease~~ described as follows:

Utah	Washington	Virgin
(State or Territory)	(County or Subdivision)	(Field)
Well No. 14	N.E. 1/4 OF S.W. 1/4	41 S.
	(34 Sec. and Sec. No.)	(Range)
		2 W
		Salt Lake
		(Meridian)

The well is located 2000 ft. S of S line and 3411 ft. E of E line of sec. 12

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF PLAN OF WORK


(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work.)

With the Department's permission, this company proposes to drill a well at the location designated above. Four lengths of 6 1/2" casing will be set from the surface to approximately 80 feet and same will be cemented with not less than 4 sacks of cement and in the event that water is encountered between the bottom of this casing and the top of a possible producing formation then a string of 4" casing will be run and cemented. In this well, production should be encountered near the 700 foot level.

Approved Oct. 8, 1931 (See note attached) Company Utah Oil Company
(Date)
E. W. Henderson By K. M. Jones
District Engineer Title Mgr.
GEOLOGICAL SURVEY
Address 516 Federal Bldg. Address Cedar City, Utah.
Salt Lake City, Utah

NOTE.—Reports on this form to be submitted in triplicate to the Supervisor for approval.

S. LAND OFFICE **Salt Lake**
 SERIAL NUMBER **033 712 A**
 LEASE OR PATENT NO. **120440**



DEPARTMENT OF THE INTERIOR
 GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

LOCATE WELL CORRECTLY

Company **Utacal Oil Company** Address **Cedar City, Utah.**
 Lessor or Tract **Rogers Lease** Field **Virgin** State **Utah.**
 Well No. **14** Sec. **12** T. **41** R. **12** Meridian **Salt Lake** County **Washington**
 Location **2050** ft. **N.** of **S** Line and **341 1/2** ft. **E.** of **E** Line of **Section 12** Elevation **3740**
 (Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed **R. M. Rogers**

Date **November 20th**

Title **Manager**

The summary on this page is for the condition of the well at above date.

Commenced drilling **October 10th**, 19 **31** Finished drilling **November 10th**, 19 **31**

OIL OR GAS SANDS OR ZONES

(Indicate gas by G)

No. 1, from _____ to _____ No. 4, from _____ to _____
 No. 2, from _____ to _____ No. 5, from _____ to _____
 No. 3, from **704** to **710** No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from _____ to _____ No. 3, from _____ to _____
 No. 2, from _____ to **None** No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From	To	
6 1/2	26			80' →					

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
6 1/2	80' → 0	4	Dump Bailer		

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____

Adapters—Material _____ Size _____

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____

Adapters—Material _____ Size _____

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out
		100 pound 40%		700 to 714	720	

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

Cable tools were used from **Surface** feet to **720** feet, and from _____ feet to _____ feet

DATES

_____ 19____

Put to producing _____, 19____

Flow production for the first 24 hours was $\frac{1}{8}$ barrels of fluid of which **98** % was oil; _____ % emulsion; _____ % water; and **2** % sediment.Gravity, °Bé. **32**

If gas well, cu. ft. per 24 hours _____

Gallons gasoline per 1,000 cu. ft. of gas _____

Back pressure, lbs. per sq. in. _____

EMPLOYEES

A. R. Hulsey

Driller

John B. Williams, Driller

Driller

_____, Driller

FORMATION RECORD

FROM	TO	TOTAL FEET	FORMATION
Surface	300	300	Red Shale
300	304	4	Lime
304	310	6	Blue Shale
310	320	10	Blue shale streaks of lime
320	340	20	Brown Sand
340	355	15	Grey Sandy Lime
355	390	35	Brown Shale
390	410	20	Virgin Lime
410	700	290	Red Shale
700	704	4	Hard Red Shale
704	714	10	Oil Sand
714	720	6	Blue Slate

GEOLOGICAL SURVEY
RECEIVED
JAN 12 1932

COPY FORWARDED SALT LAKE CITY
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

State Land Office Salt Lake
Case File A
Serial Number

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT RECORD OF SHOOTING	
NOTICE OF INTENTION TO CHANGE PLANS	RECORD OF PERFORATING CASING	
NOTICE OF DATE FOR TEST OF WATER SHUT-OFF	NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	X
REPORT ON RESULT OF TEST OF WATER SHUT-OFF	NOTICE OF INTENTION TO ABANDON WELL	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO SHOOT	SUPPLEMENTARY WELL HISTORY	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

January 12, 1932

Following is a {notice of intention to do work} on land under {lease} described as follows:
~~report of work done~~

Well No. 34 N. 1/2 of S. 1/4 T. 41 S. R. 12 W. Salt Lake
(State of Utah) (County or Subdivision) (Field) (Meridian)

The well is located 2050 ft. {N} of {S} line and 3411 ft. {E} of {W} line of sec. 12

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF PLAN OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work.)

The above well was drilled into and thru a sand that will not produce any oil therefore with the Department's permission this well will be plugged in accordance with the Department's Regulations governing such operations.

NOTE: Hole to be cleaned out to total depth reported at 720 and a cement plug consisting of 5 sacks of cement placed on bottom with a dump bailer. Operations to be suspended sufficient time to permit cement to set and test for hardness made. Remainder of hole to be filled to surface with heavy mud fluid and regulation marker erected.

Approved Jan. 12, 1932 (See note attached)

District Engineer.

Title 516 Federal Bldg.
Address Salt Lake City, Utah

Company Utah Oil Company

By K. M. Roan

Title Manager

Address Cedar City, Utah

NOTE: Reports on this form to be submitted in triplicate to the Supervisor for approval.

COPY RETAINED SALT LAKE CITY
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYU. S. Land Office Salt Lake
605 712 A
Serial Number _____
Lease 4444

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT RECORD OF SHOOTING	
NOTICE OF INTENTION TO CHANGE PLANS	RECORD OF PERFORATING CASING	
NOTICE OF DATE FOR TEST OF WATER SHUT-OFF	NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
REPORT ON RESULT OF TEST OF WATER SHUT-OFF	NOTICE OF INTENTION TO ABANDON WELL	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF ABANDONMENT	X
NOTICE OF INTENTION TO SHOOT	SUPPLEMENTARY WELL HISTORY	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 4th, 1932

Following is a ~~report of work done~~ on land under ~~lease~~ described as follows:

Utah	Washington	Virgin
(State or Territory)	(County or Subdivision)	(Field)
Well No. 14	N.E. 1/4 of S.W. 1/4	41 S. 12 W. Salt Lake
	(1/4 Sec. and Sec. No.)	(Twp.) (Range) (Meridian)

The well is located 2000 ft. $\left\{ \begin{smallmatrix} N \\ S \end{smallmatrix} \right\}$ of S line and 3411 ft. $\left\{ \begin{smallmatrix} E \\ W \end{smallmatrix} \right\}$ of E line of sec. 12

The elevation of the derrick floor above sea level is 3740 ft.

DETAILS OF PLAN OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work.)

The above hole was cleaned out to it's total depth and then ten bag of cement was placed on it's bottom with a dump bailer.

Seventy two hours later, said hole was filled with a mud fluid from the top of said cement plug to with in six feet of the surface where a regulation marker was erected.

*NOTE - Approved subject to maintenance in condition satisfactory to the Supervisor, U. S. Geological Survey.

Approved April 6, 1932 (See note*)

E. W. Henderson
E. W. Henderson,
District Engineer.

Address 516 Federal Building
Salt Lake City, Utah

Company Utah Oil Company

By *K. M. Davis*

Title Mgr.

Address Cedar City, Utah.

Subscribed and sworn to before me this 4th day of April 1932

My 2-5-1934

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
CONSERVATION BRANCH

INDIVIDUAL WELL RECORD

Sec. 12
T. 41 S.
R. 12 W.
46 Mer.
Ref. No. 46

PUBLIC LAND

Land office Salt Lake City State Utah
Serial number 058712-A County Washington
~~Mineral~~ or Lessee Utah Oil Co. Field Virgin
Operator Utah Oil Co. District Utah
Well number 14 Subdivision Con. sec. 12 1/4 SW 1/4 Sec. 12
Location 720 feet from E S line and 772 feet from E 3 line of 12 1/4 SW 1/4 Sec.
Drilling approved October 8, 1931 Well elevation 3740 feet
Drilling commenced October 8, 1931 Total depth 714 feet
Drilling ceased November 11, 1931 Initial prod.
Completed for prod. _____, 19____ Gravity A.P.I. _____
Abandonment approved April 6, 1932, 19____ Initial R.P. _____

Geologic formations
Surface _____ Lowest tested _____

Productive horizons
Name _____ Depths _____ Contents _____

Moenkopi Moenkopi

Dry

Well Status

Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1931												
1932	Drg	DST	Abd	P&A						Drg	Drg	Drg

Remarks